
March 1980

DR. CHARLES LAMOUREUX BOTANY DEPT., UNIV. OF HAWALL 3190 MAILE WAY HONOLULL HAWALL PORZA

ATOLL RESEARCH BULLETIN

241. Geography and Ecology of Little Cayman Edited by D.R. Stoddart and M.E.C. Giglioli



Issued by THE SMITHSONIAN INSTITUTION Washington, D.C., U.S.A.

ATOLL RESEARCH BULLETIN

241. Geography and Ecology of Little Cayman Edited by D.R. Stoddart and M.E.C. Giglioli

> Issued by THE SMITHSONIAN INSTITUTION Washington, D.C., U.S.A. March 1980

ACKNOWLEDGEMENT

The Atoll Research Bulletin is issued by the Smithsonian Institution, as a part of its activity in tropical biology, to place on record information on the biota of tropical islands and reefs, and on the environment that supports the biota. The Bulletin is supported by the National Museum of Natural History and is produced and distributed by the Smithsonian Press. The editing is done by members of the Museum staff and by Dr. D. R. Stoddart.

The Bulletin was founded and the first 117 numbers issued by the Pacific Science Board, National Academy of Sciences, with financial support from the Office of Naval Research. Its pages were largely devoted to reports resulting from the Pacific Science Board's Coral Atoll Program.

The sole responsibility for all statements made by authors of papers in the Atoll Research Bulletin rests with them, and statements made in the Bulletin do not necessarily represent the views of the Smithsonian nor those of the editors of the Bulletin.

Editors

F. R. Fosberg
Ian G. MacIntyre
M.-H. Sachet

Smithsonian Institution Washington, D.C. 20560

D. R. Stoddart

Department of Geography University of Cambridge Downing Place Cambridge, England

ATOLL RESEARCH BULLETIN

No. 241

GEOGRAPHY AND ECOLOGY OF LITTLE CAYMAN

Edited by D.R. Stoddart and M.E.C. Giglioli

Issued by
THE SMITHSONIAN INSTITUTION
Washington, D.C., U.S.A.

March 1980




Plate 1. The south coast of Little Cayman, from the southeast; noon cumulus extending along the length of the island

CONTRIBUTORS

R.R. ASKEW

Department of Zoology, The University, Manchester, England

A.W. DIAMOND

Department of Zoology, University of Nairobi, Nairobi, Kenya

M.E.C. GIGLIOLI

Mosquito Research and Control Unit, Grand Cayman, Cayman Islands, West Indies

M.V. HOUNSOME

The Manchester Museum, Manchester, England

G.W. POTTS

Marine Biological Association of the U.K., The Marine Laboratory, Plymouth, England

G.R. PROCTOR

Natural History Division, Institute of Jamaica, Kingston, Jamaica

D.R. STODDART

Department of Geography, University of Cambridge, Cambridge, England

C. WOODROFFE

Department of Geography, University of Sheffield, Sheffield, England

CONTENTS

1.	Scientific survey of Little Cayman D.R. Stoddart	Page 1
2.	Geology and geomorphology of Little Cayman D.R. Stoddart	11
3.	Mangrove sediments of Little Cayman C. Woodroffe	17
4.	The zonation of rocky littoral areas around Little Cayman G.W. Potts	23
5.	The littoral fishes of Little Cayman G.W. Potts	43
6.	Vegetation of Little Cayman D.R. Stoddart	53
7.	Checklist of the plants of Little Cayman G.R. Proctor	71
8.	Terrestrial fauna (excluding birds and insects) of Little Cayman M.V. Hounsome	81
9.	Cerion nanus (Maynard) (Mollusca: Cerionidae) on Little Cayman M.V. Hounsome and R.R. Askew	91
LO.	The insect fauna of Little Cayman R.R. Askew	97
Ll.	The Odonata of the Cayman Islands R.R. Askew	115
L2.	The butterfly (Lepidoptera, Rhopalocera) fauna of the Cayman Islands R.R. Askew	121

13.	Hawkmoths (Lepidoptera, Sphingidae) of Little Cayman	1 39
	R.R. Askew	
14.	Ecology and species turnover of the birds of Little Cayman	141
	A.W. Diamond	
15.	The Red-footed Booby colony on Little Cayman: size, structure and significance	165
	A.W. Diamond	
16.	Little Cayman: ecology and significance	171
	D.R. Stoddart	

LIST OF PLATES

1. The south coast of Little Cayman, from the southeast; noon cumulus extending along the length of the island Frontispiece

- 2. Sparrowhawk Hill from the north coast beach ridge
- Limestone ridge inland of the coastal salt pond at Charles Bight
- 4. Limestone ridge and coastal sand flat and salt pond at Mary's Bay
- 5. Dissected surface on the Bluff Limestone (6032 1783); the sides of the frame are 50 cm long
- 6. Detail of surface dissection on Bluff Limestone
- 7. Large doline in Bluff Limestone (6028 1778)
- 8. Cave speleothems revealed by roof collapse (6003 1781)
- 9. Bluff coast at East Point
- 10. Ironshore platform west of Calabash Spot
- 11. Diploria colonies in coastal Ironshore at Salt Rocks
- 12. Strombus shells in coastal Ironshore at Salt Rocks
- 13. Ironshore deposits on the landward margins of the Blossom Village lagoon
- 14. Potholes in the Ironshore surface at Salt Rocks
- 15. Bedded calcarenites overlying reef facies in the Ironshore at Salt Rocks
- 16. Detail of the bedded calcarenites at Salt Rocks
- 17. Beach ridge east of Pirate's Point
- 18. Beach ridge at Calabash Point

- 19. Sand beach ridge with juvenile Casuarina in Wearis Bay
- 20. Storm wash-over cobbles north of East Rocky Point, Blossom Bay
- 21. Hurricane-deposited storm blocks on the Ironshore platform south of the airstrip (5957 1737)

- 22. Preston Bay showing the exposed littoral rocks and sandy beach above them
- 23. West End Rocks with a large littoral rock pool in the foreground
- 24. Echininus nodulosus in crevices with Littorina ziczac on the upper midlittoral region of Preston Bay
- 25. Tectarius muricatus (arrowed) among the leaves of Sesuvium portulacastrum at West End Rocks
- 26. Nerita peloronta and N. tessellata on rocks at the midlittoral zone. Echininus nodulosus and Littorina ziczac are present in crevices
- 27. Turbinaria turbinata, Padina sanctae-crucis and Dictyota sp. in the lower midlittoral zone at West End Rocks
- 28. East End showing the steep and deeply dissected littoral region
- 29. The rubble ridge of South Hole Sound looking east. In the foreground is a small plant of the black mangrove Avicennia germinans
- 30. Cittarium pica on the jetty at Preston Bay
- 31. Cittarium pica covered in calcareous algae on the rubble ridge, South Hole Sound
- 32. Tectarius muricatus in large numbers in the supralittoral fringe at East End
- 33. Acanthopleura granulata in shallow rock pools in the lower midlittoral zone
- 34. Rock pool at West End Rocks showing *Puperita pupa* and *Littorina mespillum* scattered over the bottom of the pool

- 35. Puperita pupa gathered on a rocky pinnacle within a rock pool
- 36. Diadema antillarum in a low tide level rock pool at Preston Bay

- 37. Dry evergreen forest south of Sparrowhawk Hill; note the human figure in the centre of the picture (6003 1775)
- 38. Dry evergreen woodland inland from Jackson's Bay (5977 1768)
- 39. Dry evergreen thicket on Sparrowhawk Hill (6004 1780)
- 40. Open dry evergreen thicket on the northern slopes of Sparrowhawk Hill (6003 1781)
- 41. Acrostichum aureum in limestone solution holes north of Blossom Village (5953 1750)
- 42. Wind-sheared coastal hedge of Coccoloba wvifera, Owen Island
- 43. Pioneer Hymenocallis litorea and other herbaceous pioneers at Sandy Point
- 44. Decapitated coconuts on the coastal beach ridge near West Point
- 45. Coconut plantation with many dead trees on Owen Island
- 46. Low Rhizophora in the coastal lagoon east of Diggary's Point (6030 1773)
- 47. Tall Avicennia woodland in Tarpon Lake
- 48, Tall Rhizophora woodland in Tarpon Lake
- 49. Interior of tall Rhizophora woodland at Tarpon Lake
- 50. Dwarf inland Rhizophora in an interior depression (5975 1761)
- 51. Inland Sesuvium marsh with open pools at the east end of the island (6074 1795)

Following page 96

52. The site on the trans-island track north of Blossom Village where living *Cerion nanus* was found. The snails were living on shrubs of *Evolvulus arbuscula* here seen growing on the path

- 53. Cerion nanus and young C. pannosum on a single plant of Evolvulus arbuscula. Inset: a living specimen of C. nanus
- 54. Six shells of *C. nanus* with an example of *C. pannosum* for comparison (to the same scale). Four typical shells are shown together with two examples of extremes in length/height ratio

LIST OF FIGURES

Following page 10

- 1. Location of the Cayman Islands
- 2. Monthly rainfall at Little Cayman

Following page 16

- 3. Topography of Little Cayman, based on the Directorate of Overseas Surveys 1:25,000 map (1965)
- 4. Topographic traverses A-F: for locations see Figure 3
- 5. Geology and habitats of Little Cayman
- 6. Topographic profiles at Salt Rocks
- 7. Beach ridge and cliffed coast profiles: for locations see Figure 3
- 8. Size composition of beach sediments

Following page 22

- 9. Topographic profile of inland dwarf Rhizophora scrub
- 10. Topographic profiles of A. Rhizophora woodland at Tarpon Lake, B. North coast salt-pond Rhizophora woodland near Sparrowhawk Hill

- 11. Map of Little Cayman showing the main coastal sampling areas
- 12. Graphs of the daily tidal range during the period of the expedition together with hourly tidal heights on a neap tide and a spring tide. The data were provided by Dr. K. George and based on figures obtained from Admiralty Tide Tables, Vol. II, 1975

- 13. Profile of the shore at Preston Bay with an indication of the vertical zonation of the littoral species. The inset shows how on the upper shore some species remain in pools (Nerita versicolor), in moist crevices (Littorina ziczac), and on the open rock (Echininus nodulosus and Nodilittorina tuberculata). Littorina ziczac refers to the appropriate species of the L. ziczac "complex" (Borkowski and Borkowski, 1969) found in an area, and does so in subsequent figures
- 14. Histograms indicating the distribution of four species of gastropod along the jetty at Preston Bay. Black columns represent the east side of the jetty and stippled columns the west side
- 15. Profile of the shore at West End Rocks with an indication of the vertical zonation of the common littoral species
- 16. Profile of the shore at Jackson's Bay Point indicating the vertical zonation of the common littoral species. The double occurrence of some littorinids and nerites is a result of their presence on a large boulder found just below MLWM
- 17. The distribution of molluscan zones around a boulder at Jackson's Bay Point (see Figure 16). It should be noticed that there is a difference in the extent of the zones on the seaward and landward sides of the boulder
- 18. Profile of the shore at the East End indicating the distribution of the common littoral species
- 19. Outlines and orientations of littoral rock pools at West End Rocks and Jackson's Bay. Pools A, B and C occurred at approximately mid-tide levels and D, E and F at low tide levels. A diagrammatic section X-Y of pool A is given with the distribution of some of the common rock pool invertebrates

Diagram of (a) Splash Zone and (b) Surge Zone pools with their typical inhabitants: 1. Eucinostomus argenteus; 2. Bathygobius soporator; 3. Abudefduf saxatilis; 4. Lutjanus apodus; 5. Gerres cinereus; 6. Tomicodon fasciatus; 7. Adioryx vexillarius; 8. Eupomacentrus leucostictus; 9. Puperita pupa; 10. Acetabularia sanctae-crucis; 11. Thalassoma bifasciatum; 12. Diadema antillarum; 13. Canthigaster rostrata; 14. Littorina mespillum; 15. Echidna catenata

- 21. Habitats and geology of Little Cayman
- 22. Vegetation and topography of Owen Island

23. Number of species (other than insects and birds) and sampling sites, Little Cayman, 1975

Following page 114

24. The progression of insect species recorded on Little Cayman by dates. Full circles signify dates on which half the final total of species in each group were found. The light trap was first operated on 14 July, the Malaise trap on 16 July, and the main central forest collections were made on 28 July

Following page 138

- 25. The relationship between the numbers of butterfly species and the areas (sq km on a logarithmic scale) of Cuba, Hispaniola, Puerto Rico, Jamaica, and the Cayman Islands (r = 0.98)
- 26. Map of Little Cayman showing localities mentioned in the text and the situation of the transects
- 27. Associations between the butterfly faunas of the Greater Antilles based upon mean values of Cole's Coefficient of Association. The scale represents positive values of Cole's Coefficient
- 28. Numbers of butterflies sighted at hourly intervals (local time) during transects on three days at Pirate's Point, Little Cayman. Shade temperatures are shown above. For each hour the columns represent (from left to right) 16, 17 and 20 July
- 29. The hourly activity of Anaea echemus, Dione vanillae and Ascia monuste at Pirate's Point, Little Cayman

- 30. Map showing location of the main habitats on Little Cayman, place names, and cut paths used as transects
- 31. Feeding heights of four insectivorous passerines on Little Cayman: (a) Caribbean Elaenia; (b) Bananaquit; (c) Vitelline Warbler; (d) Yellow Warbler. Ordinate: height in intervals of 2 m (Gr = ground). Abscissa: percentage of feeding observations in each height class. White areas (right of O%): feeds on fruit (Elaenia, Vitelline Warbler) or nectar (Bananaquit, Yellow Warbler). Black areas (left of O%): feeds on insects. For sample sizes, see Table 29

- 32. Outline map of Little Cayman, showing the location of the booby colony and detail of the colony area. Numerals refer to previous sites of the colony (see text). Letters represent sections of the present colony used in the census (see Table 30). Arrows represent main flight lines
- 33. Diurnal variation in number of boobies present in the sample area of the colony

Following page 180

34. Recommended marine and terrestrial conservation areas, Little Cayman

LIST OF TABLES

1.	Rainfall records at Little Cayman. Data by courtesty of the Mosquito Research and Control Unit, Grand Cayman Pa	age 2
2.	Publications on insects of Little Cayman arising from the Oxford University Expedition to the Cayman Islands in 1938	5
3.	Size distribution of the common littoral Mollusca around Little Cayman	32
4.	Distribution of littoral Mollusca	36
5.	Classification of littoral fishes	45
6.	Mean size, sample size and habitat preference of the fishes found occupying six littoral rock pools	46
7.	Terrestrial fauna of Little Cayman (excluding birds and insects), July and August 1975	84
8.	Species diversity in each of the habitat types	87
9.	Numbers of living adult <i>Cerion nanus</i> and <i>Cerion pannosum</i> found on <i>Evolvulus</i> plants, and the numbers of empty shells of the two species per 0.25 sq m, at sites A and B	94
10.	Numbers of <i>Evolvulus</i> plants with and without <i>Cerion</i> of either species at sites A and B	94
11.	Numbers of <i>Evolvulus</i> plants carrying live <i>Cerion</i> of one or both species at site B. The expected figures assume a random distribution of each species	94
12.	Ordinal distribution of species of insects found on Little Cayman. Numbers of species for North America north of Mexico are from Borror and DeLong (1966)	99
13.	Within-family size ranges of Little Cayman and British insects. Dimensions are body length (excluding antennae and abdominal appendages) except for Odonata, Neuroptera and Lepidoptera where wing expanse is given, and Scarabaeidae for which elytral length is shown	101
14.	Percentage composition of sweep-net samples from Little Cayman compared with those reported by Janzen and Pond (1975) from Michigan, U.S.A.	108

15.	Percentage composition of Malaise trap samples from Little Cayman, and from Surinam and Kansas (Matthews and Matthews 1971)	110
16.	Comparison of light trap catches of Macrolepidoptera on Little Cayman and at Woodchester Park, Gloucestershire, England.	111
17.	Numbers of species caught by different methods on Little Cayman. Figures in parentheses show the numbers of species caught only by the method indicated, and the percentages are of the numbers of species caught by each method out of the total number of species found on the island belonging to the group	113
18.	Species of Odonata recorded from the Cayman Islands by the 1938 Oxford University Expedition and the 1975 Royal Society and Cayman Islands Government Expedition	116
19.	Butterfly species recorded by the 1938 and 1975 Expeditions to the Cayman Islands	123
20.	Matrix showing the numbers of species shared between Cuba, Hispaniola, Puerto Rico, Jamaica and the Cayman Islands (upper right), values for Cole's coefficient of association (lower left), and the total number of butterfly species recorded for each island	132
21.	Numbers of butterflies counted per five minutes in each habitat zone on three transects of Little Cayman	135
22.	The species of land-birds breeding in the Cayman Islands, and their distribution elsewhere	143
23.	Distributional affinities of the breeding land-birds of the Cayman Islands and Little Cayman. Figures in brackets show the number of Central American species that are restricted to offshore islands	144
24.	The endemic forms of Cayman Islands land-birds, and the islands on which they breed. Populations probably extinct are bracketed	145
25.	Distribution of Cayman Islands endemic land-birds. Figures in brackets show totals before recent extinctions	148
26.	Extinctions and colonisations in the Cayman Islands avifauna	149
27.	Breeding records of Little Cayman birds, 9 July-11 August 1975	150

28.	Average number of birds per hour recorded in four	
	habitats on Little Cayman	151
29.	Habitats of breeding birds of Little Cayman	152
30.	Feeding methods of four insectivorous passerines on Little Cayman	154
31.	Census of boobies along the southern edge of the colony, 0800-1000. 1 August 1975	167